

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) An ink-jet recording sheet comprising a substrate having thereon a porous layer formed by a process comprising the steps of:

(a) coating on the substrate an aqueous coating composition containing a hydrophilic binder and inorganic particles to form the porous layer;

(b) drying the porous layer over a period, wherein the period comprises at least a constant drying rate period and a falling drying rate period; and

(c) incorporating a solution containing an additive into the porous layer after the completion of the constant drying rate period, wherein the incorporation of the solution containing an additive into the porous layer is carried out in the same coating line used for coating the aqueous coating composition to form the porous layer.

2. (Original) The ink-jet recording sheet of claim 1, wherein the incorporation of the solution containing an additive into the porous layer is carried out before a drying end point.

3. (Currently Amended) The ink-jet recording sheet of claim 2, wherein the incorporation of the solution containing an additive into the porous layer is carried out ~~in the same coating line used for coating the aqueous coating composition to form the porous layer~~ after the moment when the volume content of water in the porous layer is less than the void volume of the porous layer at the drying end point.

4. (Original) The ink-jet recording sheet of claim 1, wherein the incorporation of the solution containing an additive into the porous layer is carried out at the moment when the following formula is satisfied:

$$V_{wp} + V_s \leq 1.5 V_{vp},$$

wherein  $V_{wp}$  is the volume content of water in the porous layer,  $V_s$  is the volume of the solution containing an additive and  $V_{vp}$  is the void volume of the porous layer at a drying end point.

5. (Original) The ink-jet recording sheet of claim 1, wherein the solution containing an additive comprises water or a mixture of water and an organic solvent which is miscible with water.

6. (Original) The ink-jet recording sheet of claim 1, wherein the ink-jet recording sheet is wound in a roll after the step (c) without substantially being dried.

7. (Original) The ink-jet recording sheet of claim 1, wherein the substrate is a resin coated paper comprising paper covered with a polyolefin resin on both sides of the paper.

8. (Original) The ink-jet recording sheet of claim 7, wherein the content of water in the paper is at most 8 weight % of the paper.

9. (Original) The ink-jet recording sheet of claim 7, wherein the incorporation of the solution containing an additive into the porous layer is carried out at the moment when the following formula is satisfied:

$$M_{wp} + M_{ws} \leq 0.07 M_p,$$

wherein  $M_{wp}$  is the weight content of water in the porous layer,  $M_{ws}$  is the weight content of water in the solution containing an additive, and  $M_p$  is the weight of the paper used for the substrate.

10. (Original) The ink-jet recording sheet of claim 1, wherein the additive in the solution is a surface active agent.

11. (Original) The ink-jet recording sheet of claim 1, wherein the viscosity of the solution containing an additive is at most 100 mPa·s.

12. (Original) The ink-jet recording sheet of claim 1, wherein the additive in the solution is a hardener for the hydrophilic binder.

13. (Original) The ink-jet recording sheet of claim 1, wherein the additive in the solution is an image stabilizer.

14. (Original) The ink-jet recording sheet of claim 1, wherein the additive in the solution is a water-soluble polyvalent metal compound.

15. (Original) The ink-jet recording sheet of claim 1, wherein the pH value of the solution containing an additive is from 1 to 5.

16. (Original) The ink-jet recording sheet of claim 1, wherein the pH value of the solution containing an additive is from 8 to 13.

Claims 17-32 (Canceled).

33. (New) An ink jet recording sheet, comprising:

a substrate;

a porous layer formed by coating an aqueous coating composition containing a hydrophilic binder and inorganic particles on the substrate; and

a overcoat layer formed by coating an additive on the porous layer, in the same coating line used for coating the aqueous coating composition to form the porous layer, after the completion of a constant drying rate period in drying process of the porous layer.

**34. (New)** An ink jet recording sheet, comprising:

a substrate;

a porous layer formed by coating an aqueous coating composition containing a hydrophilic binder and inorganic particles on the substrate; and

a overcoat layer formed by coating an additive on the porous layer after the completion of a constant drying rate period in drying process of the porous layer, wherein the additive is coated on the porous layer without the sheet being wound in a roll form after the porous layer is formed.

**35. (New)** An ink jet recording sheet wound into a roll, comprising:

a substrate;

a porous layer formed by coating an aqueous coating composition containing a hydrophilic binder and inorganic particles on the substrate; and

a overcoat layer formed by coating an additive on the porous layer after the completion of a constant drying rate period in drying process of the porous layer, wherein the additive is coated on the porous layer without the sheet being wound in a roll form after the porous layer is formed.